

Lead-Lined Storage Safe



- Conveniently loaded from the front
- Ideal for storing large quantities of high-activity radioisotopes
- Shielded with 2" lead and encased in a powder-coated steel jacket
- Features an adjustable shelf
- Lead-lined door is hung with heavy duty non-sagging hinges and is key-locked to prevent unauthorized access
- Built-in lifting handles make it easy to use a hoist or other means to transport this half-ton safe

Specifications:

Dimensions: 17.4" W x 17" D x 19" H
I.D.: 12" W x 12" D x 12" H
Lead Shielding: 2" thick
Door: Key-locked
Finish: Powder coat
Weight: 1050 lb

244-006 Storage Safe, 2" lead

Rectangular Lead Container

Designed for storage and shipment of radioactive materials

- 1" lead shielding offers adequate protection for most radioisotopes
- Hinged cover can be locked with a padlock (not included)
- Stainless steel inside and outside



Dimensions: I.D.: 6" L x 6" W x 8" H
O.D.: 8" L x 8" W x 11" H
Lead Shielding: 1" thick
Weight: 175 lb
Shipping Weight: 180 lb

001-001

Rectangular Container, 1" Lead

Lead-Lined Refrigerator

Specifications:

Dimensions: 24.18" W x 25.5" D x 34.25" H
Lead Shielding: 1/8" thick
Capacity: 5.3 cu ft
Door: Key-locked
Finish: Powder coat
Power: 120V/ 60 Hz, 1.1 amps
Weight: 340 lb
Shipping Weight: 390 lb



- Freestanding or under-the-counter unit
- 5.3 cubic foot capacity
- Automatic defrost
- Energy Star qualified- saves energy, money and natural resources
- Two adjustable stainless steel shelves

244-004 Lead Lined Refrigerator, 1/8" lead, 120V